



TELANGANA STATE POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy Dist - 502 032.
Phone : 08455 280477, Website:tspcb.cgg.gov.in

BY REGD. POST WITH ACK. DUE

Order No.BLRM-66/TSPCB/ZO/RCP/LH/2020- BFJ

Dt: 20.01.2020.

CLOSURE ORDER

Sub: TSPCB, ZO, R.C.Puram – M/s. Hyderabad Castings Ltd., Sy. No. 177, 178 & 179, IDA, Bollaram, Jinnaram (M), Sangareddy District – The Honble NGT, New Delhi - Original Application No. 1038 of 2018 on polluted industrial area – Non compliance of Consent conditions – Causing of pollution in the surrounding area - **Closure order** – Issued – Reg.

- Ref :
1. Consent Order No: TSPCB/ZO/RCP/BLRM/66/CFO/2018-212,Dated 05.02.2018.
 2. Hon'ble NGT order dated 13.12.2018 in Original Application No. 1038 of 2018 on polluted industrial cluster.
 3. The Hon'ble NGT, order dated 10.07.2019.
 4. The Hon'ble NGT order dated 14.11.2019.
 5. Inspection of the industry by the Board officials on 02.12.2019.
 6. Report dated 07.12.2019.
 7. T.O. Lr. No. Gen-173/PCB/ZO-RCP/2019-65, Dated: 13.01.2020.
 8. Hearing held on 18.01.2020.

-- 0 --

WHEREAS you have been operating a unit located at Sy. No. 177, 178 & 179, IDA, Bollaram, Jinnaram (M), Sangareddy District and engaged in manufacturing of Alloy Castings – 40 TPM, Alluminium Ingots & Castings - 60 TPM.

WHEREAS vide reference 1st cited, the Board issued CFO & HWA to the industry for producing of Special Alloy Castings – 40 TPM, Alluminium Ingots & Castings - 60 TPM with a validity period upto 30.09.2020 with certain conditions.

WHEREAS vide reference 2nd cited, the Hon'ble NGT, New Delhi has taken up the news item published in "The Asian Age" authored by Sanjay Kaw titled "CPCB to rank industrial units on pollution levels" and numbered as Original Application No. 1038 of 2018 and vide order dt. 13.12.2018 issued certain directions to the state governments for preparation of Action Plan for restoration of Environmental qualities with regard to the identified polluted industrial clusters. As per the above order "Patancheru-Bollaram" area with CEPI score of 70.07 is categorized as Critically Polluted Area (CPA) in Telangana State.

WHEREAS, vide reference 3rd cited, the extract of the order of the Hon'ble NGT dated 10.07.2019 is as follows:

".....

22. In view of water pollution caused by absence / dysfunctional CETPs/ETPs/STPs, the Tribunal has, in the case of Aryavart Foundation Vs. M/s Vapi Green Enviro Ltd, & Ors., directed all defaulting industries, other than green and white category connected with CETP, to make deposits with the CPCB towards interim environmental compensation, pending assessment of actual compensation and further action on the following scale:

(i) Large Industries – Rs.1 Crore each

(ii) Medium Industries – Rs.50 Lakhs each

(iii) Small Industries – Rs.25 Lakhs each

23..... The statutory regulatory bodies can be required to straightaway identify the particular industrial units in the said PLAs that are causing pollution, particularly those units which fall under the red and orange category and take action against them by way of closing the polluting activity, initiating prosecution and assessing and recovering compensation. Pending such

assessment, interim compensation may be recovered on the scale adopted by this Tribunal in the case of Vapi industrial area”.

.....
.....

28. Accordingly, we direct the CPCB in coordination with all State PCBs/PCCs to take steps in exercise of statutory powers under the Air (Prevention and Control of Pollution) Act, 1981, Water (prevention and Control of Pollution) Act, 1974, Environmental (Protection) Act, 1986 or any other law to prohibit operation of pollution activities in the said CPAs and SPAs within three months and furnish a compliance report to this Tribunal. The Central Pollution Control Board, in coordination with State Boards/PCBs may make assessment of compensation to be recovered from the said polluting units for the period of last 5 years, taking into account the cost of restoration and cost of damage to the public health and environment and the deterrence element. The scale of deterrence may be related to the period and the frequency of defaults. Such other factors as may be found relevant may also be taken into account. No further industrial activities or expansion be allowed with regard to ‘red’ and ‘orange’ category units till the said areas are brought within the prescribed parameters or till carrying capacity of area is assessed and new units or expansion is found viable having regard to the carrying capacity of the area and environmental norms. Pending assessment of compensation, interim compensation be recovered at the scale adopted by this Tribunal in the case of Vapi Industrial area as mentioned in para 22 above”.

WHEREAS, vide reference 4th cited, the Hon’ble NGT, New Delhi has also issued certain directions on 14.11.2019 in Original Application No. 1038 of 2018 on polluted industrial clusters.

WHEREAS, vide reference 5th cited, the Board officials have inspected your industry and observed the following violations:

1. The hoods provided to the furnaces and motor connected to ID fan of stack were removed and emissions were observed from furnaces.
2. The industry has not provided fume extraction system to the electrical induction furnaces of the casting division.
3. The industry has established 2 X 5 Ton, 1 X 2 ton Oil fired ovens, 1 x 1 ton electrical oven for Annealing without obtaining CFE/CFO of the Board.
4. High dust and Sand spillages were observed in around the process shed of casting division.
5. The industry stored nearly 20 tons of aluminum scrap openly and plastic/paint coated scrap was observed in the stored scrap.
6. The industry has stored huge amount of un reclaimed sand in the premises.
7. The industry has provided 1 x 1.0 ton, 1 x 0.5 ton, 1 x 300 Kg, 1 x 175 Kg electrical induction melting furnaces, 1 x 8 ton Oil fired melting furnace against the consented 1 x 0.5 Ton, 1 x 1.0 Ton electrical induction melting furnace and the hoods above the 1.0 ton, 0.5 ton furnaces and motor connected to ID fan of stack were removed and emissions were observed at furnaces.
8. Plastic/Painted scrap was observed in the aluminum scrap.
9. The industry has not submitted production details.
10. The industry has not submitted water consumption details.
11. During inspection, emissions were observed from the furnace leading to air pollution.
12. The industry has not developed thick green belt.

WHEREAS, vide reference 7th cited, Zonal office, R.C.Puram, TSPCB has issued legal hearing notice to your industry to attend the legal hearing on 18.01.2020 at TSPCB, Zonal office, R.C.Puram.

WHEREAS, vide reference 8th cited, you were given an opportunity for hearing before the External Advisory Committee of Zonal Office, TSPCB, R.C.Puram on 18.01.2020. The representative of the industry Sri Shiv shankar have attended the legal hearing. The representative of the industry informed that they have installed the suction hoods, but got damaged and informed the committee that they will install within one month. After detailed discussions, the committee opined that the industry is operating without Air Pollution Control Equipments (APCE) and established the furnaces without obtaining CFE/CFO of the Board and causing air pollution in the area. Hence, the committee recommended to issue Closure Order to the industry for not complying with the Consent Conditions and also the industry shall pay of Rs.25 Lakhs (Rupees Twenty Five Lakhs only) towards Environmental Compensation as a interim compensation pending assessment as per Hon’ble NGT order dated 10.07.2019.

After careful consideration of the material facts of the case, the Board is of the firm opinion that the industry is not complying with the Consent Conditions, without having requisite air pollution control equipments thereby causing air pollution problems in the surrounding area. Under the Powers vested with the TS Pollution Control Board under Section 31(A) of Air (Prevention and Control of Pollution) Act, 1981 and its amendments thereof and under section 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and its amendments thereof and for the reasons stated above, the Board hereby issues Closure Order to your industry, in the interest of protecting public health and Environment and also directed to pay of Rs.25 Lakhs (Rupees Twenty Five Lakhs only) towards Environmental Compensation as a interim compensation pending assessment as per Hon'ble NGT order dated 10.07.2019. You are also hereby directed to stop the manufacturing activities with immediate effect from date of issue of this order.


You are directed to take note that if you continue to operate your industry after receipt of this order, you will be liable for prosecution under Section 37(1) of Air (Prevention and Control of Pollution) Act, 1981 and its amendments and under section 41(2) of Water (Prevention and Control of Pollution) Act, 1974 and its amendments, the punishment for which includes imprisonment for a term which shall not be less than one year six months which may be extended to six years and with fine.

You are further directed to take note that the TSSPDCL has been ordered to disconnect Power Supply to your industry with immediate effect. Should you resort to run your industry by means of diesel generator or any mechanical device, you will be attracting prosecution under Section 37(1) of Air (Prevention and Control of Pollution) Act, 1981 and its amendments and under section 41(2) of Water (Prevention and Control of Pollution) Act, 1974 and its amendments.

The orders will take effect from today i.e., 20.01.2020.

To
M/s. Hyderabad Castings Ltd.,
Sy. No. 177, 178 & 179, IDA,
Bollaram, Jinnaram (M),
Sangareddy District.

102
JOINT CHIEF ENVIRONMENTAL ENGINEER



1. Copy submitted to the Superintending Engineer (Operations), TSSPDCL, Sangareddy District for information and necessary action.
2. Copy to the E.E. R.O. R.C.Puram for information and to implement the Closure Order immediately and pursue the industry for payment of compensation amount at the earliest. He is also directed to inspect the industry and report compliance within 48 hrs. The E.E is also directed to record the KWH, KVAH, KVARh and MD Meter reading of TSSPDCL power supply at the time of power disconnection. The E.E is directed to note KWH (Units) and hour meter readings of DG sets and also the meter readings of TSSPDCL power supply in case the power is yet to be disconnected.
3. Concerned file.

Regd. Post with Ack. due



TELANGANA STATE POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.
Phone : 08455 280477, Website:tspcb.cgg.gov.in

Order No.TSPCB/ZO/RCP/BLRM/66/LH/2020- 86

Dt: 20.01.2020.

Sub: TSPCB, ZO, R.C.Puram – M/s. Hyderabad Castings Ltd., Sy. No. 177, 178 & 179, IDA, Bollaram, Jinnaram (M), Sangareddy District – The Honble NGT, New Delhi - Original Application No. 1038 of 2018 on polluted industrial area – Non compliance of Consent conditions – Causing of pollution in the surrounding area - Closure Orders – Issued – **Disconnection of power supply – Orders - Issued - Reg.**

Ref: TSPCB Order No.TSPCB/ZO/RCP/BLRM/152/LH/2020-⁸⁵, Dt: 20.01.2020.
-- 0 --

The T.S. Pollution Control Board, vide reference cited above, issued Closure Orders to M/s. Hyderabad Castings Ltd., Sy. No. 177, 178 & 179, IDA, Bollaram, Jinnaram (M), Sangareddy District under Section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 and under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 for causing the water & air pollution problems in the surrounding area. A copy of the closure order is herewith enclosed.

In view of the above, under the powers vested under Section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 and under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988, and condition No.42.2 of TSSPDCL terms and conditions of supply, the T.S. Southern Power Distribution Company of Ltd. is hereby directed to disconnect the power supply to M/s. Hyderabad Castings Ltd., Sy. No. 177, 178 & 179, IDA, Bollaram, Jinnaram (M), Sangareddy District.

You are requested to carryout the orders of the Board and report compliance within 48 hours.

JOINT CHIEF ENVIRONMENTAL ENGINEER

To
The Superintending Engineer (Operations),
TSSPDCL, Sangareddy,
Sangareddy District.



1. Copy to the E.E., TSPCB, RO, R.C.Puram with a direction to follow up for implementation of Closure orders.
2. Concerned file.

