



TELANGANA STATE POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.
Phone : 08455 280477, Website:tspcb.cgg.gov.in

BY REGD. POST WITH ACK. DUE

Order No. SANG/184/TSPCB/ZO/RCP/LH/2020- 251

Dt: 13.02.2020.

DIRECTIONS

Sub: TSPCB, ZO, R.C.Puram – M/s Sri Satya Sai Industries, Sy. No. 597/A/2, Yellapur (V), Papanapet (M), Medak District – Non compliance of Consent Conditions – Causing of Water & Air pollution in the surrounding area – **Directions – Issued – Reg.**

- Ref:**
1. CFO order No: TSPCB/ZO/RCP/SANG/184/CFO/2018-1506 Date: 02.11.2018.
 2. Telephonic instructions from the District Collector, Medak regarding discharge of waste water from the industry.
 3. Inspection of the industry by the Board officials on 20.12.2019.
 4. EE, RO, R.C.Puram Show Cause Notice dated: 21.01.2020.
 5. TSPCB, RO, R.C.Puram report received on 22.01.2020.
 6. T.O. Lr. No. GEN-173/PCB/NGT-1038/ZO-RCP/2020-185 Dated: 06.02.2020.
 7. Hearing held on 12.02.2020.

-- 0 --

WHEREAS you are operating the industry in the name of M/s Sri Satya Sai Industries, located at Sy. No. 597/A/2, Yellapur (V), Papanapet (M), Medak District.

WHEREAS vide ref. 1st cited, the Board has issued CFO & HWA to your industry for producing Paraboiled Rice -30 TPD, Broken Rice – 1.0 TPD, Bran – 2.0 TPD, Husk – 9.0 TPD, with certain conditions with a validity period upto 31.03.2028.

WHEREAS vide ref. 2nd cited, the Board has received a telephonic instructions from the District Collector, Medak regarding discharge of waste water from the industry.

WHEREAS vide reference 3rd cited, the Board officials inspected your industry and during the inspection, the following observations were made:

1. M/s Sri Satya Sai Industries is located at Sy. No. 597/A/2, Yellapur Village, Papannapet Mandal, Medak District and is involved in production of Paraboiled Rice
2. The industry has obtained CFO of the Board vide order dt.02.11.2018 valid upto 31.03.2028 for Para Boiled Rice – 30 TPD, By Products: Broken Rice – 0.80 TPD, Husk – 8.0 TPD and Bran – 4.0 TPD.
3. The industry has not submitted production, water consumption & waste water generation & disposal details.
4. The industry has not provided water meters to assess at water consumption, waste water generation and disposal.
5. The industry has provided ETP consisting of bar screens, Collection cum Neutralization tank, Aeration tank, Settling tank.
6. The industry has provided 3.0 TPH husk fired boiler with Mechanical Dust collector as air pollution control equipment. The industry has provided platform and sampling port but not provided ladder to stack.
7. The industry has provided separate room for storage of ash and provided hopper above boiler for storage of husk and but not provided separate room for storage of excess husk and is storing the same openly behind the premises which causes fugitive dust nuisance.

8. The industry has not provided water sprinkling system to control fugitive dust emissions. Ash & Husk spillages were observed in and around the boiler area.
9. The industry has not provided separate energy meter to the air pollution control system & ETP.

WHEREAS, vide reference 4th cited, the EE, RO, R.C.Puram has issued a Show Cause Notice to your industry for the above violations and submitted a report to this office for taking suitable action on the above matter vide reference 5th cited.

WHEREAS, vide reference 7th cited you were given an opportunity for hearing before the Taskforce Committee of Zonal Office, TSPCB, R.C.Puram on 12.02.2020. The representative of the industry were attended the meeting and informed that they will rectify all the non compliances within one month period and requested the committee not to initiate any action against them. After detailed discussions, the committee recommended to issue certain directions to your industry to comply within one month period.

After careful consideration of all the material facts of the case and as per the recommendations of the committee, the Board hereby issues the following directions to your industry within one month to comply with:

- i. The industry shall comply with all the conditions stipulated in the CFO order.
- ii. The industry shall install ladder to the stack and submit proof of evidence to RO, RC Puram.
- iii. Under any circumstances, the industry shall not discharge any waste water outside the premises.
- iv. The industry shall regularly operate ETP to treat the waste water and the treated water shall be used for on land irrigation within the industry's premises duly meeting the irrigation standards stipulated and shall not store huge quantity of effluents in the tank.
- v. The industry shall construct closed shed for storage of husk & ash and shall not store the husk & ash openly.
- vi. The industry shall regularly carryout water sprinkling to control fugitive dust emissions.
- vii. The industry shall not cause any air pollution / dust nuisance / odour nuisance in the surrounding environment.
- viii. The industry shall install digital flow meters to measure the actual water consumption, waste water generated, treated & disposed and maintain a log register as per the meter readings.
- ix. The industry shall provide separate energy meter to the air pollution control system & ETP and maintain a log register as per the meter readings.
- x. The industry shall maintain a good house keeping in the premises.
- xi. The industry shall develop a minimum of 5 mtrs width green belt all around the boundary of the unit and in vacant places with tall growing trees with wide leaf area. The area allocated for greenbelt shall not be less than 33 % of total area of industry.

These directions are issued under Section 31(A) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 in the interest of protecting Public Health & Environment.

You are further directed to note that, if you operate the unit without complying with the above directions, the Board may issue closure orders under Section 31(A) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and Section 33(A) of the Water (Prevention & Control of Pollution) Amendment Act, 1988. Also you will be liable for prosecution under Section 37(1) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and section 41(2) of the Water (Prevention & Control of Pollution) Amendment Act, 1988 in the interest of protecting public health and environment, without further notice.

The orders will take effect from today i.e., 13.02.2020.

To
**M/s Sri Satya Sai Industries,
Sy. No. 597/A/2, Yellapur (V),
Papanapet (M), Medak District.**

JOINT CHIEF ENVIRONMENTAL ENGINEER

CS



1. Copy to the E.E. R.O. R.C.Puram for information and with a direction to inspect the industry and submit a compliance report on the directions issued by the Board along with the waste water, stack & Ambient Air Quality Monitoring reports after stipulated time for taking further necessary action in the matter.
2. Concerned file.

