



TELANGANA STATE POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.
Phone : 08455 280477, Website:tspcb.cgg.gov.in

BY REGD. POST WITH ACK. DUE

Order No. NZB/207/TSPCB/ZO/RCP/LH/2020-142

Dt: 31.01.2020.

DIRECTIONS

Sub: TSPCB, ZO, R.C.Puram – M/s. Sri Krishna Agro Industries, Sy.No. 846, 847, 848 & 849, Gundaram (V), Nizamabad (M), Nizamabad District – Public Complaint received against your industry - Non compliance of Consent Conditions – Causing of water & air pollution in the surrounding area – **Directions – Issued – Reg.**

- Ref:
1. CFO order No: TSPCB/ZO/RCP/NZB/207/W&A/2015-1942 Date: 19.11.2015
 2. Amendment of CFO order No: TSPCB/ZO/RCP/NZB/207/W&A/2016-811, Dated: 24.03.2016.
 3. Complaint received from Sri B. Ganga Reddy, Nizamabad regarding the discharge of untreated waste water from M/s Sri Krishna Agro Industries to Chintal cheruvu and causing surface water pollution to surrounding area on 04.10.2019.
 4. Inspection of the industry by the Board officials on 20.11.2019.
 5. EE, RO, Nizamabad Notice No. 1201/TSPCB/RO/NZB/2019-429, Date: 27-11-2019.
 6. TSPCB, RO, Nizamabad report received on 02.12.2019.
 7. T.O. Lr. No. GEN-173/PCB/ZO-RCP/2020-56 Dated: 13.01.2020.
 8. Hearing held on 18.01.2020.

-- 0 --

WHEREAS you are operating the industry in the name of M/s. Sri Krishna Agro Industries located at Sy.No. 846, 847, 848 & 849, Gundaram (V), Nizamabad (M), Nizamabad District.

WHEREAS vide ref. 1st cited, the Board has issued CFO & HWA to your industry for producing Paraboiled Rice -40 TPD, Broken Rice – 2.0 TPD, Bran – 4.0 TPD, Husk – 6.0 TPD, with certain conditions and also issued amendment to CFO extending the validity period upto 31.08.2020.

WHEREAS vide ref. 3rd cited, the Board has received a complaint from Sri B. Ganga Reddy, Nizamabad regarding the discharge of untreated waste water outside the premises leading to Chintal cheruvu and causing surface water pollution to surrounding area.

WHEREAS vide reference 4th cited, the Board officials inspected your industry and during the inspection, the following observations were made:

- i. During the inspection, the industry is operating steam rice only.
- ii. During the inspection, it was observed that the industry has constructed ETP, which was isolated by without any pipeline connections and ETP was completely covered by plants and there is no way to reach ETP, which is indicating that they are not operating the ETP from long time.
- iii. During the inspection, the industry is discharging untreated waste water to back side of industry's compound wall by digging the pits (in their own land in west direction) which is very adjacent to Chintal cheruvu. Water from this pit may joins to chintal cheruvu.

- iv. The industry is not carrying out water sprinkling. During the inspection fugitive dust emissions was observed.
- v. The industry has provided closed room for storage of boiler ash and rice husk.
- vi. The industry has not developed 33% green belt within the industry premises.
- vii. The house keeping of the industry was very poor.

WHEREAS, vide reference 5th cited, the EE, RO, Nizamabad has issued a notice to your industry for the above violations and submitted a report for taking suitable action on the above matter vide reference 6th cited.

WHEREAS, vide reference 8th cited you were given an opportunity for hearing before the Taskforce Committee of Zonal Office, TSPCB, R.C.Puram on 18.01.2020. The EE, RO, Nizamabad and the representative of the industry were attended the meeting. The RO, Nizamabad informed that the industry is not operating the ETP and discharging untreated waste water to back side of industry's compound wall by digging the pits. The representative informed that they are operating only steam rice and hence not operating ETP and requested the committee not to initiate action against them. After detailed discussions, the committee recommended to issue certain directions to the industry to comply with.

After careful consideration of all the material facts of the case and as per the recommendations of the committee, the Board hereby issues the following directions to your industry within one month to comply with:

- i. The industry shall comply with all the conditions stipulated in the CFO order.
- ii. Under any circumstances, the industry shall not discharge any waste water outside the premises.
- iii. The industry shall install machinery in the ETP and shall regularly operate to treat the waste water and the treated water shall be used for on land irrigation within the industry's premises duly meeting the irrigation standards stipulated and shall not store huge quantity of effluents in the tank.
- iv. The industry shall immediately lift the waste water which is stored in unlined pit and shall treat them in ETP to meet the irrigation standards. The industry shall dismantle the unlined lagoon immediately.
- v. The industry shall construct closed shed for storage of husk & ash and shall not store the husk & ash openly.
- vi. The industry shall not cause any air pollution / dust nuisance / odour nuisance in the surrounding environment.
- vii. The industry shall install digital flow meters to measure the actual water consumption, waste water generated, treated & disposed and maintain a log register as per the meter readings.
- viii. The industry shall provide separate energy meter to the air pollution control system & ETP and maintain a log register as per the meter readings.

- ix. The industry shall maintain a good house keeping in the premises.
- x. The industry shall develop a minimum of 5 mtrs width green belt all around the boundary of the unit and in vacant places with tall growing trees with wide leaf area. The area allocated for greenbelt shall not be less than 33 % of total area of industry.

These directions are issued under Section 31(A) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 in the interest of protecting Public Health & Environment.

You are further directed to note that, if you operate the unit without complying with the above directions, the Board may issue closure orders under Section 31(A) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and Section 33(A) of the Water (Prevention & Control of Pollution) Amendment Act, 1988. Also you will be liable for prosecution under Section 37(1) of the Air (Prevention & Control of Pollution) Amendment Act, 1987 and section 41(2) of the Water (Prevention & Control of Pollution) Amendment Act, 1988 in the interest of protecting public health and environment, without further notice.

The orders will take effect from today i.e., 31.01.2020.

To
M/s. Sri Krishna Agro Industries,
Sy.No. 846, 847, 848 & 849,
Gundaram (V),
Nizamabad (M) & District.

JOINT CHIEF ENVIRONMENTAL ENGINEER



1. Copy to the E.E. R.O. Nizamabad for information and with a direction to inspect the industry and submit a compliance report on the directions issued by the Board along with the waste water, stack & Ambient Air Quality Monitoring reports after stipulated time for taking further necessary action in the matter.
2. Concerned file.

