



TELANGANA STATE POLLUTION CONTROL BOARD
Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar,
Hyderabad-500 018
Phones : 040-23887500 Fax: 040 – 23887519

BY REGD. POST WITH ACK. DUE

Order No.MDK-255/TSPCB/TF/HO/2019 – 605

Dt:14.08.2020

Sub : **TSPCB – M/s Kontest Chemicals Ltd., (Formerly M/s Wave Pharmaceuticals Pvt. Ltd.), Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District – Water (Prevention and Control of Pollution) Amendment Act, 1988 and Air (Prevention and Control of Pollution) Amendment Act, 1987 – Industry's request for revocation of closure order – Extension of Temporary Revocation Of Closure Orders for a Period of Six Months – Orders Issued – Reg.**

Ref : 1. CFO Order No. TSPCB/ZO/RCP/RCPM/87/W&A/2015-1210, Dt 19.06.2015 with a validity period upto 30.09.2019.
2. Closure Order No. TSPCB/ZO/RCP/RCPM/87/LH/2019-730, Dt 08.07.2019.
3. Temporary Revocation of Closure Order No.MDK-255/TSPCB/TF/HO/2019-1517, Dt:26.09.2019.
4. CFO Order No. TSPCB/ZO/RCP/RCPM/87/CFO/2020, Dt 18.01.2020.
5. Industry's representation dated: 14.02.2020
6. Inspection of the industry by the Board Officials on 27.02.2020.

- WHEREAS**, you are operating the industry located at Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District and is a pharmaceutical formulation unit.
- WHEREAS**, vide reference 1st cited, the Board has issued CFO&HWA order, vide order dt:19.06.2015 with a validity period upto 30.09.2019 for Formulation of Tablets– 10,00,000 NPD, Capsules–2,00,000 NPD, Liquids – 1000 NPD.
- WHEREAS**, vide reference 2nd cited, the Zonal Office issued Closure Orders to the industry vide order dt:08.07.2019 for not installing FE system and open burning of hazardous waste thereby causing pollution in the surrounding area as per the observations made by the CPCB Joint Committee inspection of the industry on 17.05.2019.
- WHEREAS**, vide reference 3rd cited, the Board issued Temporary Revocation of closure order to the industry on 26.09.2019 for a period of three months i.e, upto 25.12.2019 with certain directions to comply with.
- WHEREAS**, vide reference 4th cited, the Board has granted renewed CFO & HWA order to the industry for Formulation of Tablets – 10,00,000 NPD, Capsules – 2,00,000 NPD, Liquids – 1000 NPD with a validity period upto 30.09.2020.
- WHEREAS**, vide reference 5th cited, the industry submitted a representation to the Board on 14.02.2020 and requesting for revocation of closure order.
- WHEREAS**, vide reference 6th cited, the Board Officials inspected the industry and its surroundings on 27.02.2020 and the following observations were made:
 - During the inspection, Sri. S. Kalyan Rao, Production Manager of the industry was present and the industry was in operation.
 - Latest status of compliance to the Directions issued vide Temporary Revocation of Closure Orders Dt.26.09.2019 is submitted below:

S. No	Directions issued vide TROC Orders Dt.26.09.2019	Compliance
1.	The industry shall not operate without consents of the Board.	The industry has obtained CFO & HWA order dt 18.01.2020 from the Board for Formulation of Tablets – 10,00,000 NPD, Capsules – 2,00,000 NPD, Liquids – 1000 NPD with a validity period up to 30.09.2020 with a condition that, the industry shall start operations only after obtaining the temporary revocation of closure orders issued by the Board vide order dt26.09.2019 and also the industry shall comply all the directions issued by

		the Board vide order dt26.09.2019.
2.	The industry shall scrupulously comply with the CFO & HWA Authorization conditions.	--
3.	The industry shall collect the effluent into above ground elevated tank and shall dispose to M/s JETL, Jeedimetla after pre-treatment, duly confirming to the influent standards of CETP.	The industry is collecting and storing effluents in below ground level tank of capacity 10 KL. The industry has lifted about 10 KL to CETP Jeedimetla on 27.12.2019.
4.	The industry shall not discharge or allow any waste water, effluent, seepages, leakages etc within & outside the industry premises under any circumstances.	During inspection, no discharge of waste water, effluent, seepages, leakages etc within & outside the industry premises were observed.
5.	The industry shall restrict the quantities of production, products, water consumptions including the recycled water, waste water generation & disposal, hazardous waste generation & disposal etc., within the permitted quantities as mentioned in the CFO & HWA order and shall maintain the records separately.	As per the production details the industry has formulated the tablets of about 8, 66,833 Nos (2,407 NPD) as against permitted capacity 10,00,000 NPD. The industry has consumed water of about 5.8 KL (0.483 KLD) as against permitted capacity 1.4 KLD during the period from Dec 2018 to Nov 2019.
6.	The industry shall not discharge any effluent / leakages / spillages / seepages etc within the premises and outside the industry premises under any circumstances.	During inspection, no discharge of effluent / leakages / spillages / seepages etc within & outside the industry premises were observed.
7.	The industry shall provide elevated lined platform with dyke walls and leachate collection sump for storage of solvent drums, raw material drums, waste drums etc and storing these drums on open ground.	The industry is storing the raw materials and solvents in a separate closed room.
8.	The industry shall submit a BG of Rs. 1.0 Lakh towards compliance of CFO & HWA conditions and above directions for a period of one year in favour of Member Secretary and extended from time to time till further orders of the Board.	The industry has submitted the BG of Rs. 1.0 Lakh on 07.12.2019 which is valid up to 26.11.2020.
Remarks:		
<ol style="list-style-type: none"> 1. M/s Kontest Chemicals Ltd., (Formerly M/s Wave Pharmaceuticals Pvt Ltd.), is located at Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District and is a pharmaceutical formulation unit. 2. Earlier, the Board has granted CFO & HWA order dt: 19.06.2015 to the industry for Formulation of Tablets – 10,00,000 NPD, Capsules – 2,00,000 NPD, Liquids – 1000 NPD and which was expired on 30.09.2019. 3. The Board has issued closure orders vide order dt. 08.07.2019 for non compliance of CFO conditions & directions and not installing FE system and open burning of hazardous waste thereby causing pollution in the surrounding area. 4. The Board has granted amendment to CFO & HWA Order Dt: 22.08.2019 to the industry with regard to change of point of disposal of trade effluents of 0.36 KLD from forced evaporation reactor to CETP, Jeedimetla for further treatment and safe disposal. 5. The Board has issued temporary revocation of closure order vide order Dt. 26.09.2019 for a period of three months i.e, up to 25.12.2019 with certain directions to comply with. 6. The Board has granted renewed CFO & HWA order Dt: 18.01.2020 to the industry for Formulation of Tablets – 10,00,000 NPD, Capsules – 2,00,000 NPD, Liquids – 1000 NPD with a validity period up to 30.09.2020 with a condition that, the industry shall start operations only after obtaining the temporary revocation of closure orders issued by the Board vide order dt26.09.2019 and also the industry shall comply all the directions issued by the Board vide order dt26.09.2019. 		

7. The industry has not provided flow meter to assess the water consumption. As per the details submitted by the industry, the industry has consumed water of about 5.8 KL (0.483 KLD) as against permitted capacity 1.4 KLD during the period from Dec 2018 to Nov 2019.
8. As per the details submitted by the industry, the industry has formulated the tablets of about 8,66,833 Nos (2,407 NPD) as against permitted capacity 10,00,000 NPD during the period from Dec 2018 to Nov 2019.
9. The industry has provided below ground Collection tank of capacity 10 KL after neutralization, these effluents are sending to CETP Jeedimetla. The industry has lifted about 10 KL to CETP Jeedimetla on 27.12.2019.
10. The industry has not provided air pollution control equipment and stack monitoring facility to the chimney to oil fired boiler of capacity 300 Kgs/Hr.
11. The industry has submitted the BG of Rs. 1.0 Lakh which is valid up to 26.11.2020.

8. **WHEREAS**, after careful consideration of the material facts of the case, the Board hereby **issue Extension of Temporary Revocation of Closure Orders for a period of Six Months to your industry with following directions to comply with:**

1. The industry shall scrupulously comply with the CFO&HWA authorization conditions.
2. The industry shall comply with all the directions stipulated in the extension of temporary revocation of closure order dated:26.09.2019.
3. The industry shall provide digital flow meter with totaliser to record water consumption, waste water generation & disposal and maintain daily records as per meter readings.
4. The industry shall extend the validity of Bank Guarantee of Rs.1.0 Lakh submitted to the Board from time to time till further orders of the Board.

9. **WHEREAS**, the TSSPDC., Ltd., has been directed to restore the power supply to your industry for a period Six Months from the date of this order.

10. These directions are issued under Sec.33 (A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and section 31(A) of the Air (Prevention and Control of Pollution) Amendment act, 1987.

11. You are hereby directed to note that, should you misuse these orders to operate the unit violating any of the conditions mentioned above, your unit will be closed under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and section 31(A) of the Air (Prevention and Control of Pollution) Amendment act, 1987 and you will also be liable for prosecution in the court of Metropolitan Magistrate or Judicial Magistrate of the first class under section 41(2) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 37(1) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 the punishment for which includes imprisonment for a term which shall not be less than one year six months and which may be extended to six years with fine.

Sd/-
MEMBER SECRETARY

To
M/s Kontest Chemicals Ltd.,
(Formerly M/s Wave Pharmaceuticals Pvt. Ltd.),
Sy. No. 14, Mambapur (V), Gummadidala (M),
Sangareddy District.

Copy to:

1. The Managing Director, Telangana State Southern Power Distribution Company Ltd., Mint compound, Near Secretariat, Hyderabad for information and necessary action.
2. The District Collector, Sangareddy Dist. for favour of kind information.
3. The Superintending Engineer (Operations), Telangana State Southern Power Distribution Company Ltd., Sangareddy District.
4. The JCEE, Z.O, R.C.Puram for information and necessary action.
5. The Environmental Engineer, Regional Office, RC Puram for information and necessary action. He is directed to monitor the industry for compliance of the directions issued and shall submit status report soon after completion of stipulated time.
6. Concerned file.

// T.C.F.B.O //


Senior Environmental Engineer (FAC)
(UH-V)





TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate,
Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No.MDK-255/TSPCB/TF/BO/2019- 606

Dt:14.08.2020

Sub: TSPCB - M/s Kontest Chemicals Ltd., (Formerly M/s Wave Pharmaceuticals Pvt. Ltd.), Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District – Water (Prevention and Control of Pollution) Amendment Act, 1988 & Air (Prevention and Control of Pollution) Amendment Act, 1987 – **Extension of Temporary Restoration Of Power Supply Orders For A Period Of Six Months – ORDERS ISSUED** – Reg.

Ref : 1. Order No.MDK-255/TSPCB/TF/HO/2019-1518, Dt:26.09.2019.
2. Industry's representation dated: 14.02.2020.
3. Order No.MDK-255/TSPCB/TF/BO/2019 Dt:14.08.2020.

* * *

In the 1st reference mentioned above, orders under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987 were issued to TSSPDCL to restore the power supply for a period of three months to **M/s Kontest Chemicals Ltd., (Formerly M/s Wave Pharmaceuticals Pvt. Ltd.), Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District.**

In the 2nd reference cited, the industry submitted a representation to the Board for revocation of closure order.

After careful consideration of all the material facts of the case, it was decided to extend the temporary revocation of closure orders for a period of Six Months issued to the industry. Accordingly, the Board issued extension of temporary revocation of closure orders to the industry vide reference 3rd cited. A copy of the extension of temporary revocation of closure order is herewith enclosed.

In view of the above, the Board hereby directs the TSSPDCL to restore the power supply for a period of Six Months from the date of this order to - **M/s Kontest Chemicals Ltd., (Formerly M/s Wave Pharmaceuticals Pvt. Ltd.), Sy. No. 14, Mambapur Village, Gummadidala Mandal, Sangareddy District** for carrying out the production activities. These directions are issued under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987.

Sd/-
MEMBER SECRETARY

To
**The Superintending Engineer (Operations),
Telangana State Southern Power Distribution Company Ltd.,
Sangareddy District.**

Copy to:

1. The Managing Director, Telangana State Southern Power Distribution Company Ltd., Mint compound, Near Secretariat, Hyderabad for information and necessary action.
2. The JCEE, Z.O, R.C.Puram for information and necessary action.
3. The E.E., TSPCB, Regional Office, RC Puram District, for information and necessary follow up action.
4. Concerned file.

//T.C.F.B.O//

**Senior Environmental Engineer (FAC)
(UH-V)**

