



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No. KGM-01/TSPCB/U-I/TF/2016- 672

Dt.26.08.2020

Sub : M/s Sri Venkata Ramana Stone Crusher, Sy.No. 397, Lakshmipuram (V), Mudigonda (M), Khammam District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and Control of Pollution) Amendment Act, 1987 - **Extension of Temporary revocation of closure orders** - Issued - Reg.

Ref : 1. Order No. KGM-01/TSPCB/U-V/TF/2016-1861 dated 04.08.2018.
2. Your crusher letter dated 16.04.2019
3. Inspection of your stone crusher by the Board officials on 24.04.2018.

1. WHEREAS, you are operating the stone crusher located at Sy.No. 397, Lakshmipuram (V), Mudigonda (M), Khammam District and engaged in Stone Crushing activity.
2. WHEREAS, the Board issued CFO to the unit on 30.03.2017 valid upto 28.02.2020.
3. WHEREAS, the Board vide order dated 04.08.2018 issued extension of temporary revocation of closure orders to your crusher which is valid upto 30.04.2019 with certain conditions.
4. WHEREAS, vide letter dated 16.04.2019 you have requested the Board for permanent revocation of Closure orders.
5. WHEREAS, the Board officials inspected the crusher on 24.04.2018 and observed the condition wise compliance as follows:

S. No.	Directions	Compliance status
1	The crusher shall comply with all conditions stipulated in CFO order of the Board.	Status as below:
2	The crusher shall provide and maintain the following as committed during the meeting and ensure that there will be no dust / air pollution from the unit.	Submitted as below:
	a) Cladding to the crushers & Vibratory screen.	<ul style="list-style-type: none">• Cladding to screen was provided.• Crusher was covered.
	b) Water sprinklers at all the dust generation sources.	<ul style="list-style-type: none">• Water spraying system was provided at raw metal wetting.• The crusher is carrying manual wetting for ground wetting to control fugitive dust emissions.• The industry has provided movable water sprinklers for wetting the ground.
	c) Elevated closed bunker for collection of dust	<ul style="list-style-type: none">• Closed dust tank was provided and covered the dust carrying conveyor.
	d) Metal / BT roads within the crusher premises.	<ul style="list-style-type: none">• Not provided.• The crusher is carrying manual wetting for ground wetting to control fugitive dust emissions.• The industry has provided movable water sprinklers for wetting the ground.
	e) Wind breaking walls at all around the crusher.	<ul style="list-style-type: none">• The industry provided barrier with iron sheets towards road side to act as wind breaking wall to some extent.• The industry developed tall growing trees around the crusher, which may act as barrier to control dust emissions.
3.	The crusher shall develop adequate green belt by planting more number of broad leaved indigenous tree species within 2 months to control dust / air pollution in the surrounding area.	<ul style="list-style-type: none">• The industry developed tall growing trees around the crusher, which may act as barrier to control dust emissions.

6. The Board after careful consideration of all facts of the case, hereby extend the temporary revocation of Closure orders issued by the Board temporarily for a further period of **Six Months from the date of this order** with the following conditions :
- The crusher shall comply with all conditions stipulated in CFO order of the Board.
 - The crusher shall provide & maintain the following as committed during the meeting and ensure that there will not be dust / air pollution from the unit.
 - Cladding to the crushers, vibratory screen & conveyor belts.
 - Mechanical water sprinklers at all the dust generation sources.
 - Elevated closed bunker for collection of dust.
 - Metal / concrete roads within the crusher premises.
 - Wind breaking walls at all around the crusher.
 - The crusher shall develop / maintain adequate green belt by planting more number of broad leaved indigenous tree species to control dust / air pollution in the surrounding area.
7. The T.S.N.P.D.C.L has been directed to extend the restoration of power supply to your unit temporarily for a period of **Six Months from the date of this order**.
8. These orders are issued under Section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and under Section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987.
9. You are hereby directed to note that, if you misuse these orders to operate the unit violating any of the conditions mentioned above, your unit will be closed under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987. You will also be liable for prosecution in the court of Metropolitan Magistrate **or** Judicial Magistrate of the first class under section 41(2) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 37(1) of the Air (Prevention and Control of Pollution) Amendment Act, 1987, the punishment for which includes imprisonment for a term which shall not be less than one year six months and which may be extended to six years with fine.

**Sd/-
MEMBER SECRETARY**

To
M/s Sri Venkata Ramana Stone Crusher,
Sy.No. 397, Lakshmipuram (V),
Mudigonda (M), Khammam District

Copy to :

- The District Collector, Khammam District for favour of information.
- The Superintending Engineer (Operations), TSNPDCL, Mamillagudem, Near Sai Baba Temple, Khammam - 507001.
- The JCEE, ZO, Hyderabad for information and necessary action.
- The EE, RO, Kothagudem for information and necessary action.
- Concerned file.

// T.C.F.B.O //


Senior Environmental Engineer (FAC)
(Unit - V)

of



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No. KGM-01/TSPCB/U-V/TF/2016 - 63

Date: 26.08.2020

Sub : M/s Sri Venkata Ramana Stone Crusher, Sy.No. 397, Lakshmipuram (V), Mudigonda (M), Khammam District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and Control of Pollution) Amendment Act, 1987 - **Extension of Temporary restoration of power supply Orders - Issued** - Reg.

Ref : 1. Order No. KGM-01/TSPCB/U-V/TF/2016-1861 dated 04.08.2018.
2. Crusher unit letter dated 16.04.2019.
3. Order No. KGM-01/TSPCB/U-I/TF/2020 dated 26.08.2020.

In the 1st reference mentioned above, orders under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987 were issued to T.S.N.P.D.C.L to restore the power supply to M/s Sri Venkata Ramana Stone Crusher, Sy.No. 397, Lakshmipuram (V), Mudigonda (M), Khammam District temporarily for a period upto 30.04.2019.

In the 2nd reference cited, the unit has represented for revocation of closure orders. After careful consideration of all facts of the case, the Board has decided to extend the temporary revocation of closure orders for a further period of **Six Months from the date of this order.**

The Board hereby directs the T.S.N.P.D.C.L to extend the restoration of power supply to M/s Sri Venkata Ramana Stone Crusher, Sy.No. 397, Lakshmipuram (V), Mudigonda (M), Khammam District for a further period of **Six Months from the date of this order** for carrying out the production activities. The T.S.N.P.D.C.L is directed not to extend the power supply beyond the period mentioned above without prior orders of T.S. Pollution Control Board. These directions are issued under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987.

Sd/-
MEMBER SECRETARY

To
**The Superintending Engineer (Operations),
TSNPDCL, Mamillagudem, Near Sai Baba Temple,
Khammam - 507001.**

Copy to :

1. The District Collector, Khammam District for favour of information.
2. The EE, RO. Kothagudem for information and necessary action.
3. Concerned file.

//T.C.F.B.O//

[Signature]
Senior Environmental Engineer (FAC)
(Unit - V)

[Handwritten mark]

