



# TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018  
Phones : 040-23887500 Fax: 040 - 23887519

**BY REGD. POST WITH ACK. DUE**

**Order No. WGL-Tannery/TSPCB/UH-V/TF/2020-541 Dt:05.08.2020**

Sub : M/s. Yellaiah Kharkhana, H.No. 2-175 Enumamula (V), Hanamkonda (M), Warangal Urban District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and control of Pollution) Amendment Act, 1987 - Industry's request for revocation of closure orders - **Extension of Temporary Revocation of Closure Order** - Issued - Reg.

Ref : 1. Order No. WGL-Tannery/TSPCB/UH-V/TF/2020-144 dated 09.04.2020.  
2. CFO Order Dated 16.04.2020.  
3. Your letter dated 22.05.2020.  
4. Inspection of your unit by the Board officials on 27.05.2020 & 18.06.2020.  
5. Hearing held on 14.07.2020 at Board Office, Hyderabad.

\*\*\*

1. WHEREAS, you are operating the industry is located at H.No. 2-175 Enumamula (V), Hanamkonda (M), Warangal Urban District and is a Chrome based tannery unit - 500 skins / day (Finished leather).
2. WHEREAS, the Board vide order dated 09.04.2020 issued temporary revocation of closure orders upto 08.06.2020 on condition that the industries shall operate only after obtaining CFO from the Board
3. WHEREAS, the Board issued CFO to your industry on 16.04.2020 with validity up to 31.07.2020.
4. WHEREAS, the unit had started their operations from 27.05.2020 and TSNPDCL has disconnected the power supply to the industries on 09.06.2020 as the revocation was expired on 08.06.2020.
5. WHEREAS, units vide letter dated 22.05.2020, requested to issue temporary revocation to run the industry to evaluate the performance of the ETP. Also stated that the Revenue department seized all the Tannery units on 18.04.2020 and were re-opened by the Revenue Department on 23.05.2018.
6. WHEREAS, the Board officials inspected your industry and vide report dated 27.05.2020 & 18.06.2020 and mail dated 11.06.2020 forwarded the status as follows :
  - i. As per the instructions of the District Collector, a joint inspection was conducted along with officials of Revenue, Municipal & Police department on 17.04.2020 and accordingly all the Tannery units were seized by the Revenue department on 18.04.2020 for violating the lockdown Rules
  - ii. A criminal case was also filed against the management of M/s Perfect tanners vide FIR No. 139-2020 Dated 05.05.2020 at Inthezargunz PS for intentionally breaking the lock thereby violating the Rules.
  - iii. The District Collector has instructed the Tahsildar, Warangal to open only those tanneries which are having valid consents from PCB. M/s Perfect Tanners and M/s Yellaiah Kharkhana were re-opened by the Revenue Department on 23.05.2018.
  - iv. The officials of RO WGL inspected the industry on 03.06.2020 & 04.06.2020 to collect samples from ETP, but it was observed that the flow was not reached to outlet, hence not collected samples. The sampling was started on 05.06.2020 and continued till 08.06.2020. Subsequently after completion of revocation period, the power supply was disconnected on 09.06.2020.

DESPATCHED  
ON: 6/8/2020

- v. M/s. Perfect Tanners having effluent treatment facility for treatment of different streams and the details are as follows.

ETP consisting the following units:

- Pre-tanning effluent tank - 9.60 KL
  - Grit Chamber No.1 - 13.20 KL
  - Grit Chamber No.2 - 10.80 KL
  - Settling Tank No.1 - 30.10 KL
  - Settling Tank No.2 - 28.50 KL
  - Equalisation Tank - 28.50 KL
  - Neutralization Tank - 39.25 KL
  - Recovering Tank - 10.5 KL
  - Clariflocculator - 38.75 KL
  - Aerobic Lagoon - 479.4 KL
  - Treated Water Collection Tank - 38.75 KL
  - Sludge Drying beds - 130 Sq.m
- vi. Performance evaluation of the ETP is yet to be done as the ETP is not yet stabilized and the compliance status is not verified as the unit carried out its operations around 10 days.
- vii. M/s. Yellaiah Kharkhana is also using the ETP of M/s. Perfect Tanners for treatment and disposal of effluents.
- viii. A telephonic complaint was received from Sri D. Vinay Bhaskar, Honourable MLA, Warangal West Constituency and Sri Siddiqi R/o Deshaipet on 17.06.2020 stating that both the units are continuing their operations even after the expiry of revocation period.
- ix. The RO officials has verified the complaint by inspecting the industries on same day and found that they are operating using DG sets.
- x. A complaint was also received on 04.06.2020 from Sri M. Baba, H. No. 22-1-351, Desaipet(V), Warangal Urban stating that ETP of M/s. Perfect Tanners is also being used by M/s. Yellaiah Kharkhana and M/s. Perfect Tanners is producing more than the permitted quantity. Further the complainant also requested the Board not to extend the temporary revocation to the industries as they have operated during lockdown period.

7. WHEREAS, the status was reviewed in the Task Force Committee meeting held on 14.07.2020. Your industry representative attended the meeting.

The committee noted that

- i. The Board vide order dated 09.04.2020 issued temporary revocation of closure orders upto 08.06.2020 on condition that the industries shall operate only after obtaining CFO from the Board.
- ii. The Zonal office, Hyderabad has issued CFO to the industry on 16.04.2020 with validity up to 31.07.2020.
- iii. The unit had started their operations from 27.05.2020 and TSNPDCL has disconnected the power supply to the industries on 09.06.2020 as the revocation was expired on 08.06.2020.
- iv. The unit vide letter dated 22.05.2020, have requested to issue temporary revocation to run the industry to evaluate the performance of the ETP. Also stated that the Revenue department seized all the Tannery units on 18.04.2020 and were re-opened by the Revenue Department on 23.05.2018. TSNPDCL disconnected power supply to the units on 09.06.2020.

The representative of the units requested the Board for extension of revocation of closure orders stating that they are having full fledged ETP as per the design details of CLRI and are operating the ETP regularly and assured that they will not discharge any un-treated effluents outside the premises.

Also stated that they have provided flow meters at inlet & outlet of the ETP and using the treated water for gardening in their er-marked lands.

The complainant attended the meeting and stated that the effluents generated from M/s Perfect Tanners and M/s Yellaiah Karkhana are being treated in the ETP of M/s M/s Perfect Tanners and discharging the untreated effluents outside the premises. Also requested not to permit the units to operate.

After detailed discussions the committee recommended to extend the temporary revocation of closure orders for a further period of 3 months to assess / evaluate the performance of the ETP with certain conditions:

8. After careful consideration of material facts of the case, the Board hereby extend the temporary revocation of closure orders **for a further period of Three Months from the date of this order** with the following conditions:
  - i. The industry shall comply with all the CFO conditions issued by the Board.
  - ii. The unit shall segregate the effluents into Chrome, Soaking & Washing effluents. The unit shall treat the chrome effluents in Chrome recovery plant, Soaking effluents to their Evaporation ponds and treat the wash effluents in their own ETP.
  - iii. The unit shall continuously operate the ETP and evaluate the performance of ETP to ensure that the outlet of ETP meet the on-land discharge standards / Irrigation standards.
  - iv. The unit shall earmark the land being utilized for on-land application of their treated effluents after meeting the standards prescribed in the CFO order issued by the Board.
  - v. The unit shall install / maintain Online Effluent Quality Monitoring System (OEQMS) for measurement of parameters viz. pH, BOD, COD, TSS, Cr, flow and online connectivity to CPCB & TSPCB. The industry shall start the operation only after online connectivity to CPCB & TSPCB Server .
  - vi. The unit shall install digital flow meters to assess the actual water consumption, waste water generation and furnish the details to EE,RO-Warangal every fortnight.
  - vii. The unit shall provide proper fencing / compound wall and to install Board indicating the unit name, address, CFO conditions & monitoring data of Air, Water & Hazardous Waste at the main gate.
  - viii. The unit shall maintain solar evaporation pond with proper lining for disposal of soak liquor.
  - ix. The unit shall construct the impervious lined storage tank of minimum 15 days capacity for storage of treated effluents during lowno demand period, based on the irrigation management plan.
  - x. The industry shall not cause any odour nuisance in the surrounding areas.
9. The T.S.N.P.D.C.L has been directed to extend the restoration of power supply to your industry temporarily for further period of **Three Months from the date of this order**.
10. These orders are issued under Section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and under Section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987.

11. You are hereby directed to note that, should you misuse these orders to operate the unit violating any of the conditions mentioned above, your unit will be closed under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987. You will also be liable for prosecution in the court of Metropolitan Magistrate or Judicial Magistrate of the first class under section 41(2) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 37(1) of the Air (Prevention and Control of Pollution) Amendment Act, 1987, the punishment for which includes imprisonment for a term which shall not be less than one year six months and which may be extended to six years with fine.

**Sd/-  
MEMBER SECRETARY**

**To  
M/s. Yellaiah Kharkhana,  
H.No. 2-175 Enumamula (V), Hanamkonda (M),  
Warangal Urban District**


**Copy to :**

1. The District Collector, Warangal District for favour of information.
2. The Superintending Engineer (Operations), TSNPDCL, H.No. 2-5-3, Nakkalagutta, Hanmakonda, Warangal for information & necessary action.
3. The JCEE, ZO, Hyderabad for information and necessary action.
4. The EE,RO-Warangal for information and necessary action.
5. Concerned file.

**//T.C.F.B.O //**

  
**Senior Environmental Engineer (FAC)  
(UH - V)**





# TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018  
Phones : 040-23887500 Fax: 040 - 23887519

**BY REGD. POST WITH ACK. DUE**

**Order No. WGL-Tanners/TSPCB/U-V/TF/2017 - 542** **Date: 05.08.2020**

Sub : M/s. Yellaiah Kharkhana, H.No. 2-175 Enumamula (V), Hanamkonda (M), Warangal Urban District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and control of Pollution) Amendment Act, 1987 - **Temporary Restoration of Power Supply Orders- Issued** - Reg.

Ref : 1. Order No. WGL-Tannery/TSPCB/UH-V/TF/2020 dated 09.04.2020.  
2. Industry letter dated 22.05.2020  
3. Order No. WGL-Tanners/TSPCB/U-V/TF/2017 dated: 05.08.2020.

\*\*\*

In the 1<sup>st</sup> reference mentioned above, orders under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987 were issued to T.S.S.P.D.C.L to restore the power supply to M/s. Yellaiah Kharkhana, H.No. 2-175 Enumamula (V), Hanamkonda (M), Warangal Urban District temporarily for a period upto 08.06.2020.

Vide letter dated 22.05.2020, the industry has requested the Board for extension of revocation of closure orders. After careful consideration of all facts of the case, the Board has decided to extend the temporary revocation of closure orders for a further period of **Three months from the date of this order.**

The Board hereby directs the T.S.N.P.D.C.L to extend the restoration of power supply to M/s. Yellaiah Kharkhana, H.No. 2-175 Enumamula (V), Hanamkonda (M), Warangal Urban District temporarily for a further period of **Three months from the date of this order** for carrying out the production activities. The Northern Power Distribution Company of TS Ltd. is directed not to extend the power supply beyond the period mentioned above without prior orders of T.S. Pollution Control Board. These directions are issued under section 33(A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control of Pollution) Amendment Act, 1987.

Sd/-  
**MEMBER SECRETARY**

To  
**The Superintending Engineer (Operations),  
TSNPDCCL, H.No. 2-5-3, Nakkalagutta,  
Hanmakonda, Warangal**

**Copy to :**

1. The District Collector, Warangal District for favour of information.
2. The EE, RO- Warangal for information and necessary action
3. Concerned file.

//T.C.F.B.O //

**Senior Environmental Engineer (FAC)  
(UH - V)**

