

o/c



**TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD**

H.No.6-3-1219, Sy.No.TS No.1 Part, Block - C, Ward No.91,
Near Country Club, Uma Nagar, Begumpet, Hyderabad. Phone-040-23402495
Email: jcee-zhyd-tspcb@telangana.gov.in

DESPATCHED
ON 23/01/2020

BY REGD. POST ACK DUE

Order No.15-RR-II/TSPCB/ZO-HYD/TF/2020- 840

Date: 23.01.2020

Sub: TSPCB – ZO - HYD - M/s. **Hi-Tech Infra Projects, Sy.No. 49/2, Haridaspally, Ahmedguda, Keesara (M), Medchal-Malkajgiri District** – Water (Prevention and Control of Pollution) Amendment Act, 1988 & Air (Prevention and Control of Pollution) Amendment Act, 1987 – Causing Air pollution & Water Pollution to the surroundings – **TEMPORARY REVOCATION OF CLOSURE ORDERS** – **ISSUED** – Reg.

- Ref:**
1. Industry's application for CFE received through TS-iPASSvide UID No. SML020001115427 on 28.11.2018.
 2. TSPCB, RO, Medchal-Malkajgiri District Order. No. T1/TSPCB/F.1243MedII/GS/MEDII/W&A/2018, Date:06.12.2018, 20.09.2019 & 29.11.2019.
 3. Complaint received through Prajavani, MedchalCollectorate from Haridaspally villagers regarding dust & air pollution caused due to operation of Hitech Ready mix Concrete on 09.12.2019.
 4. Ambient Air Quality Monitoring conducted by the Board Officials on 10.12.2019 & 11.12.2019.
 5. TSPCB, RO, Medchal-Malkajgiri District Show Cause Notice No.Gen.15/MDC/TSPCB/RO-MDC/2019-656, dt.11.12.2019.
 6. Legal Hearing held on 17.12.2019 at TSPCB, Zonal Office, Hyderabad.
 7. Closure order issued on 27.12.2019 for causing air pollution and operating without obtaining consents of the Board.
 8. Industry's representation for revocation of closure order on 06.01.2020.
 9. Inspection of the industry by the Board officials on 18.01.2020.
 10. TSPCB, RO, Medchal-Malkajgiri District report dt. 18.01.2020.
 11. Legal Hearing held on 20.01.2020 at TSPCB, Zonal Office, Hyderabad.

* * *

1. **WHEREAS**, you are operating the industry in the name of M/s. Hi-Tech Infra Projects, Sy.No. 49/2, Haridaspally, Ahmedguda, Keesara (M), Medchal-Malkajgiri District which is a Ready Mix Concrete (RMC) plant.
2. **WHEREAS**, vide reference 1st cited, the industry has applied for CFE through TS-iPASS on 28.11.2018 to establish a Ready Mix Concrete plant – 100 Cubic meters/day and Cement Bricks – 500 Nos/day at Sy. No. 49/2, Haridaspally, Ahmedguda, Keesara (M), Medchal–Malkajgiri District.
3. **WHEREAS**, vide reference 2nd cited, the CFE application of the industry was rejected on 06.12.2018 as the Haridaspally village is located at distance of about 120 mtrs from the proposed site toward west side.
4. **WHEREAS**, the industry filed CFE appeal application (1st appeal) through TS-iPASS on 04.09.2019 submitting the same details as earlier. The application was rejected on 20.09.2019 as the condition remain same i.e., Haridaspally village is located at distance of about 120 mtrs from the proposed site toward west side.

5. **WHEREAS**, the industry filed CFE appeal application (2nd appeal) received through TS-iPASS on 17.11.2019 and rejected the application on 29.11.2019 as the Haridaspally village is located at a distance of about 120 mtrs from the proposed site toward west side as the proponent has submitted the CFE appeal application with same location.
6. **WHEREAS**, vide reference 3rd cited, a complaint was received on 09.12.2019 through Prajavani, MedchalCollectorate from Haridaspally villagers regarding dust & air pollution caused due to operation of Hitech Ready mix Concrete located at Haridaspally (V), Ahmedguda, Keesara (M), Medchal-Malkajgiri District.
7. **WHEREAS**, the Board officials inspected the Haridaspally village, Hi-tech Infra Projects Ready Mix Plant and its surroundings on 09.12.2019. The following observations were made:
 - i. M/s. Hi-Tech Infra Projects is located at Sy. No. 49/2, Haridaspally, Ahmedguda, Keesara (M), Medchal–Malkajgiri District and engaged in manufacture of Ready Mix Concrete (RMC).
 - ii. The complainants informed that lot of dust was generated due to the operation of M/s. Hi-Tech Infra Projects (RMC plant). The village is located at a distance of 120 m from the RMC plant.
 - iii. GHMC vehicles carrying Municipal Solid Waste are also plying through the village which is resulting in generation of dust thereby causing nuisance.
8. **WHEREAS**, vide reference 4th cited, the Board officials have conducted Ambient Air Quality Monitoring at M/s. Hi-Tech Infra Projects, Sy.No. 49/2, Haridaspally (V) and residence of Sri. D. Anji Reddy, H.No. 4-78 Haridaspally on 10.12.2019 & 11.12.2019:

The analysis results are as follows:

S. No.	Location of sampling	Particulate Matter (PM ₁₀) µg/m ³	Standard Limit (PM ₁₀) µg/m ³
1.	At the periphery of the unit near office	167	100
2.	At terrace of the residence of Sri D. Anji Reddy, H. No. 4-78, Haridaspally (V)	198	100

The analysis results indicate that the Particulate Matter concentration, i.e. 167 µg/m³ near unit office and 198 at residence of Sri D. Anji Reddy, H. No. 4-78, Haridaspally (V) are exceeding the standard stipulated by the Board, i.e. 100 µg/m³.

9. **WHEREAS**, vide reference 5th cited above, the Board has issued a Show cause notice to the unit on 11.12.2019 with the following:
 - a. The industry is operating without having a valid Consent for Operation of the Board.
 - b. Lot of dust is emanating from the industry during the operation and plying of the vehicles.
10. **WHEREAS**, vide reference 6th cited above, the Board conducted Legal Hearing before the Zonal office, Task Force Committee on 17.12.2019 at Zonal Office, Telangana State Pollution Control Board, Begumpet, Hyderabad and after careful consideration of material facts of the case, the committee recommended to issue closure order to the industry for causing air pollution and operating without obtaining consents of the Board.

11. **WHEREAS**, vide reference 7th cited above, the Board issued Closure order on 27.12.2019 for causing air pollution and for operating without obtaining consents of the Board.
12. **WHEREAS**, vide reference 8th cited above, the industry represented the Board for revocation of closure order to the industry informing that they have taken adequate pollution control measures in the area.
13. **WHEREAS**, vide reference 9th cited above, the Board officials inspected the Haridaspally village, Hi-tech Infra Projects Ready Mix Plant and its surroundings and made the following observations:

Sl. No.	Reason for Closure order	Compliance
1.	Operating the unit without valid consents of the Board.	Applied for CFE through TS-iPASS.
2.	The nearest village is located at a distance of 120 m from the RMC Plant	The industry is proposing to shift the RMC Plant.

14. **WHEREAS**, vide reference 10th cited above, the Regional Office, Medchal-Malkajgiri District has forwarded the detailed report with the above observations, representation of industry for revocation of closure orders to Zonal Office and requested for further necessary action.
15. **WHEREAS**, vide reference 11th cited above, the Board conducted Legal Hearing before the Zonal office, Task Force Committee on 20.01.2020 at Zonal Office, Telangana State Pollution Control Board, Begumpet, Hyderabad. After detailed discussions and careful consideration of material facts of the case, the committee recommended **to issue temporary revocation of closure order to industry for a period of 3 months i.e., up to 30.04.2020 with the following directions to comply with:**
- a. The RMC plant shall operate only after obtaining Consent of the Board (CFO).
 - b. The RMC plant shall strictly shift from the present location and shall maintain safe distance.
 - c. The RMC plant shall store the raw materials under closed shed only. Carryout all the loading and unloading activities of materials inside the closed shed only. Conveying the raw materials through closed screw conveyors.
 - d. The RMC plant shall ensure no spillage of ready mix concrete on the ground within or outside the premises.
 - e. The RMC plant shall dispose the solid waste i.e., sediment in an earmarked area as land fill within the premises.
 - f. The RMC plant shall provide internal roads to control dust emissions within the premises.
 - g. The RMC plant shall develop thick green belt (green barrier) all along the boundary of the unit with tall growing trees with wide leaf area.
 - h. The RMC plant shall provide water sprinkling system to suppress the dust generated during loading and unloading activities of materials and also within the premises to control fugitive emissions.
 - i. Periodic wetting of heaps aggregate material with water by manual / automatic sprinklers systems.
 - j. The RMC plant shall maintaining good housekeeping through regular sweeping through sweeping machines to remove the dust / ready mix concrete on the ground to control the fugitive emissions.

16. After careful consideration of all material facts of the case available on records, the Board hereby issues **Temporary Revocation of Closure Orders** to the industry for a period upto **30.04.2020**, under section 31 (A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 and under section 33 (A) of the Water (Prevention & Control of Pollution) Amendment Act, 1988 with a condition that the RMC shall be strictly for captive use only.
17. The TSCPDCL, has been directed to restore Power Supply to your industry.
18. You are hereby directed to note that should you misuse these orders to operate your industry without complying with the above conditions and the provisions of Water and Air Acts, your industry will be closed under Section 31 (A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 and under Section 33 (A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988, and you will be liable for prosecution under section of Air 37 (1) of Air (Prevention and Control of Pollution) Amendment Act, 1987 under section 41(2) of Water (Prevention and Control of Pollution) Amendment Act, 1988, the punishment for which includes imprisonment for a term which shall not be less than one year six months and which may be extended to six years with a fine.

The order will come into effect from today i.e., **23.01.2020**.

Sanjay 23/01/2020
JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

To
M/s. Hi-Tech Infra Projects,
Sy.No. 49/2, Haridaspally,
Ahmedguda, Keesara (M),
Medchal-Malkajgiri District.

Copy to:

1. Copy submitted to the Member Secretary, TSPCB, Board Office, Hyderabad for kind information.
2. The Chairman & Managing Director, Central Power Distribution Company of Telangana State Ltd., H No.6-1-50, Mint Compound, Gr. Hyderabad – 500063 for information and necessary action.
3. The District Collector, Medchal-Malkajgiri for favour of information.
4. The Superintending Engineer (Operations), Medchal Circle, Gun Rock, Secunderabad.
5. The ADE, TSSPDCL, Medchal area to implement the orders.
6. The Environmental Engineer, Regional Office, Medchal-Malkajgiri District for information and necessary action.



TELANGANA STATE POLLUTION CONTROL BOARD
ZONAL OFFICE: HYDERABAD

H.No.6-3-1219, Sy.No.TS No.1 Part, Block - C, Ward No.91,
Near Country Club, Uma Nagar, Begumpet, Hyderabad. Phone-040-23402495
Email: jcee-zhyd-tspcb@telangana.gov.in

DESPATCHED
ON 23/01/2020

BY REGD. POST ACK DUE

Order No.15-RR-II/TSPCB/ZO-HYD/TF/2020- 841

Date: 23.01.2020

Sub: TSPCB – ZO - HYD - M/s. **Hi-Tech Infra Projects, Sy.No. 49/2, Haridasally, Ahmedguda, Keesara (M), Medchal-Malkajiri District** – Water (Prevention and Control of Pollution) Amendment Act, 1988 & Air (Prevention and Control of Pollution) Amendment Act, 1987 – Causing Air pollution & Water Pollution to the surroundings – **TEMPORARY RESTORATION OF POWER SUPPLY ORDERS** – Reg.

Ref: 1. Closure order issued on 27.12.2019.
2. Order No.15-RR-II/TSPCB/ZO-HYD/TF/2020- , dt: 23.01.2020.

* * *

Telangana State Pollution Control Board issued orders vide reference 1st cited for disconnection of power supply to M/s. **Hi-Tech Infra Projects, Sy.No. 49/2, Haridasally, Ahmedguda, Keesara (M), Medchal-Malkajiri District** in view of the closure orders issued to the industry.

The industry requested the Board for revocation of closure orders.

After careful consideration of the facts of the case, the Board vide reference 2nd cited has revoked the closure orders to M/s. **Hi-Tech Infra Projects, Sy.No. 49/2, Haridasally, Ahmedguda, Keesara (M), Medchal-Malkajiri District** for a period upto **30.04.2020**.

In view of the above, the Board hereby directs the Telangana State Central Power Distribution Company Ltd to restore the power supply to M/s. **Hi-Tech Infra Projects, Sy.No. 49/2, Haridasally, Ahmedguda, Keesara (M), Medchal-Malkajiri District** for a period upto **30.04.2020**.

These orders are issued under section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 and under section 33 (A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988.

The orders will take effect from today i.e., **23.01.2020**


JOINT CHIEF ENVIRONMENTAL ENGINEER (FAC)

To
The Superintending Engineer (Operations),
Medchal Circle, Gun Rock,
Secunderabad.

Copy to:

1. Copy submitted to the Member Secretary, TSPCB, Board Office, Hyderabad for kind information.
2. The Chairman & Managing Director, Central Power Distribution Company of Telangana State Ltd., H No.6-1-50, Mint Compound, Gr. Hyderabad – 500063 for information and necessary action.
3. The District Collector, Medchal-Malkajiri for favour of information.
4. The ADE, TSSPDCL, Medchal area to implement the orders.
5. The Joint Chief Environmental Engineer, Board Office, Hyderabad for information and necessary action.
6. The Environmental Engineer, Regional Office, Medchal-Malkajiri District for information and necessary action.

