



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018

Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No.MDK-258/TSPCB/UH-V/2020- 324

Dt:26.06.2020

Sub: TSPCB - M/s. Legend Fine Chem, Sy. No. 87/aa, Buchinelli (V), Zaheerabad(M), Sangareddy District - Water (Prevention and Control of Pollution) Amendment Act, 1988 and Air (Prevention and Control of Pollution) Amendment Act, 1987 - Industry's request for revocation of closure order - TEMPORARY REVOCATION OF CLOSURE ORDERS FOR A PEIROD OF THREE MONTHS - ORDERS ISSUED - Reg.

- Ref:**
1. CFO&HWA Order dt: 28.07.2017.
 2. Complaint made by Sri Venkat Reddy, Resident of Buchinelly village on 19.07.2019.
 3. Closure Order No.MDK-258/TSPCB/UH-V/2020-2286, Dt:29.01.2020.
 4. Industry's representation dated:28.02.2020.
 5. Complaint made by Sri venkat Reddy, R/o. Buchinelly Village.
 6. Single Phase Power Supply Order No.MDK-258/TSPCB/UH-V/HO/2020, Dt:21.03.2020.
 7. Industry representation dated:09.03.2020 & 23.03.2020.
 8. Inspection of the industry by the Board Officials on 02.05.2020.

* * * * *

1. **WHEREAS**, you are operating the industry located at Sy. No. 87/aa, Buchinelli (V), Zaheerabad(M), Sangareddy District.
2. **WHEREAS**, vide reference 1st cited, the Board issued CFO&HWA order to the industry vide order dated:28.07.2017 for Distillation of spent solvents / Mixed solvents for recovery of solvents like Ethyl Acetate, IPA / Acetone, Toluene, Methanol, Mixed (SMS), CNSL Resins, Cardinol, Residol (BY Product), CNSL / Based & Residol Based friction polymers with validity period upto 30.04.2022.
3. **WHEREAS**, vide reference 2nd cited, the RO received a complaint against the industry from Sri Venkat Reddy, Resident of Buchinelly village through e-mail, regarding odour nuisance, on 19.07.2019.
4. **WHEREAS**, the above complaint was reviewed in the Task Force Committee meeting held on 30.12.2019 and as per the recommendations of the Committee, the Board vide reference 3rd cited, issued Closure Orders to the industry on 29.01.2020 for non compliance of the Board conditions and causing water & air pollution in the surrounding area.
5. **WHEREAS**, vide reference 4th cited, industry submitted a representation to the Board requesting for revocation of closure order.
6. **WHEREAS**, vide reference 5th cited, the Board received a complaint against the industry from Sri Venkat Reddy, Resident of Buchinelly Village, alleging that the industry is being operated with DG Sets, after the industry was issued with Closure order by the Board. During inspection, the following were observed:
 1. The industry is not in operation. Power was disconnected to the industry by TSSPDCL.
 2. The industry is carrying out maintenance works at the time of inspection using the DG Set. The industry representative informed that they are operating DG set for carrying out maintenance works.
 3. The MS tanks used for storage of organic and process residue were observed to be empty.
 4. The process reactors are also observed to be empty.
 5. The boiler was observed to be not in use.
 6. There were large number of drums containing spent / mixed solvents stored for recovery.
7. **WHEREAS**, vide reference 6th cited, the Board issued Single Phase Power Supply to the industry on 21.03.2020 for lighting and security purpose only.
8. **WHEREAS**, vide reference 7th cited, the industry submitted a representation dated:09.03.2020 & 23.03.2020 for revocation of closure order.

DESPATCHED
27/6/2020

Received
K S N M M
26/6/2020

9. **WHEREAS**, vide reference 8th cited, the RO, Sangareddy Officials inspected the industry on 02.05.2020 and submitted a report on 04.05.2020, the following observations were made:

- During the inspection, Sri Pandari, In-charge, Maintenance was present.
- During inspection, the industry was not in operation.
- Compliance of the industry on grounds of closure order dated 29.01.2020 is as follows:

Sl. No	Reasons mentioned in Closure Order	Compliance
1.	During inspection, Sri Deva, Operator was present.	--
2.	During the inspection, the industry was not in operation.	During inspection on 02.05.2020, no production activities were observed.
3.	The representative of the industry informed that the industry was not in operation from last one week due to non-availability of raw materials. However, the complainant has informed that the industry is being operated only during night time.	
4.	The industry is not maintaining records on characteristics of crude ML's & quantity of recovered solvents, daily production details, quantity of effluents generated, forced evaporated and solid waste generated and disposal.	The industry representative informed that they will maintain records, here on and once the closure order is revoked.
5.	The industry has not installed vent condensers to the bulk storage tanks.	Installed.
6.	The industry has not provided scrubbers to control process emissions.	Provided.
7.	The industry has not installed separate energy meter for pollution control systems.	Separate energy meter is installed.
8.	The industry has not provided digital flow meters to measure water consumption, waste water generation, treatment and disposal.	The industry has provided flow meter at borewell and is yet to provide for water consumption at boiler.
9.	The industry has not provided fire fighting system.	The industry has provided portable fire extinguishers at designated places viz., recovery columns, mixed / spent solvent storage area, neutral reactor, hazardous storage area, etc.
10.	The industry has not provided laboratory facility for analysis of solvent.	Provided.
11.	The residue generated from the distillation is being stored in MS tanks and the industry representative informed that they are disposing the same to cement industries for co-processing.	During inspection, the MS tanks used for storage of organic and process residue were observed to be empty. The industry representative informed that they have disposed the residue to cement industries for co-processing.
12.	During inspection, spillages were observed near the residue storage tanks.	During latest inspection, no spillages were observed. The areas near residue storage tanks were concreted and provided dyke walls.
13.	During inspection, firewood to be used as fuel for boiler was being unloaded.	During inspection, stock of firewood was observed. However, there were no indications of the boiler being operated.
Remarks:		
<ol style="list-style-type: none"> 1. The industry is not in operation. Power was disconnected to the industry by TSSPDCL. 2. The maintenance works observed during earlier inspection on 28.02.2020 are completed and the DG set is not in operation. 3. The MS tanks used for storage of organic and process residue were observed to be empty. 4. The process reactors are also observed to be empty. 5. The boiler was observed to be not in use. 6. There were large number of drums containing spent / mixed solvents stored for recovery. 		

10. **WHEREAS**, after careful consideration of all the material facts of the case, **the Board hereby issue Temporary Revocation of Closure Orders for a period of Three Months to your industry with following directions to comply:-**

1. The industry shall not operate without consents of the Board.

2. The industry shall comply with the Board directions & Consent conditions scrupulously.
3. The industry shall regularly life the trade effluents to M/s. PETL Patancheru for further treatment and disposal.
4. The industry shall ensure that there shall not be any spillages near storage tanks.
5. The industry shall store spent solvents / recovered solvents in Bulk Storage Tanks / closed shed in elevated platform with dyke wall and leachate collection system.
6. The industry shall store drums containing raw material / in process goods / wastes etc., on the concrete platform with dyke walls & proper leachate collection system and the industry shall not store drums openly on ground.
7. The industry shall maintain records on characteristics of crude ML's & quantity of recovered solvents, daily production details, quantity of effluents generated, forced evaporated and solid waste generated and disposal.
8. The industry shall not discharge any effluents within or outside the industry premises under any circumstances.
9. The industry shall continuously operate the scrubbers to control process emissions
10. The industry shall maintain vent condensers / nitrogen blanketing for the solvent / chemical bulk storage tanks.
11. The industry shall comply with the standard operating procedure (SOP) specified for solvent recovery plants by CPCB.
11. The TSSPDC., Ltd., has been directed to restore the power supply to your industry for a period of three months from the date of this order.
12. These directions are issued under Sec.33 (A) of Water (Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987.
13. You are hereby directed to note that, should you misuse these orders to operate the unit violating any of the conditions mentioned above , your unit will be closed under section 33(A) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 and section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 without any further notice to you and you will also be liable for prosecution in the court of Metropolitan Magistrate or Judicial Magistrate of the first class under section 41(2) of the Water (Prevention and Control of Pollution) Amendment Act, 1988 & under section 37(1) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 the punishment for which include imprisonment for a term which shall not be less than one year six months and which may be extended to six years with fine.

**Sd/-
MEMBER SECRETARY**

**To
M/s. Legend Fine Chem,
Sy. No. 87/aa, Buchinelli (V),
Zaheerabad (M), Sangareddy District.**

Copy to:

1. The Managing Director, Telangana State Southern Power Distribution Company Ltd., Mint compound, Near Secretariat, Hyderabad for information and necessary action.
2. The District Collector, Sangareddy Dist. for favour of kind information.
3. The Superintending Engineer (Operations), Telangana State Southern Power Distribution Company Ltd., Sangareddy District.
4. The JCEE, Z.O, R.C.Puram for information and necessary action.
5. The Environmental Engineer, Regional Office, Sangareddy for information and necessary action. **He is directed to monitor the industry for compliance of the directions issued and shall submit status report soon after completion of stipulated time.**
6. Concerned file.

// T.C.F.B.O. //


**Senior Environmental Engineer (FAC)
(UH-V)**



TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate,
Sanathnagar, Hyderabad-500 018
Phones : 040-23887500 Fax: 040 - 23887519

BY REGD. POST WITH ACK. DUE

Order No.MDK-258/TSPCB/UH-V/HO/2020- 325

Dt:26.06.2020

Sub : TSPCB - M/s. Legend Fine Chem, Sy. No. 87/aa, Buchinelli (V),
Zaheerabad(M), Sangareddy District - Water (Prevention and Control
of Pollution) Amendment Act, 1988 and Air (Prevention and Control of
Pollution) Amendment Act, 1987 - Restoration of Power Supply
Orders for a Period of Three Months - Orders Issued - Reg.

Ref : 1. Power disconnection Order No. MDK-258/TSPCB/UH-V/HO/2020-2287,
Dt:29.01.2020.
2. Industry's representation dt:09.03.2020 & 23.03.2020.
3. Order No.MDK-258/TSPCB/UH-V/HO/2020- Dt:26.06.2020.

In the 1st reference mentioned above, orders under section 33(A) of Water
(Prevention and Control of Pollution) Amendment Act, 1988 and under section 31(A) of
Air (Prevention and Control of Pollution) Amendment Act, 1987 were issued to TSSPDCL
to disconnect the power supply to **M/s. Legend Fine Chem, Sy. No. 87/aa,
Buchinelli (V), Zaheerabad(M), Sangareddy District** for not complied with consent
conditions and causing water & air pollution in the area.

Vide reference 2nd cited, the industry submitted representation stating the they
are complying the conditions mentioned in the closure order and requesting for
revocation of closure order.

After careful consideration of all the material facts of the case, it was decided to
revoke the closure orders for a period of three months to the industry. Accordingly, the
Board issued temporary revocation of closure orders to the industry vide reference 3rd
cited. A copy of the temporary revocation of closure order is herewith enclosed.

In view of the above, the Board hereby directs the TSSPDCL to restore the power
supply for a period of three months to **M/s. Legend Fine Chem, Sy. No. 87/aa,
Buchinelli (V), Zaheerabad(M), Sangareddy District from the date of this order.**
These directions are issued under section 33(A) of Water (Prevention and Control of
Pollution) Amendment Act, 1988 and under section 31(A) of Air (Prevention and Control
of Pollution) Amendment Act, 1987.

Sd/-
MEMBER SECRETARY

To,
The Superintending Engineer (Operations),
Telangana State Southern Power Distribution Company Ltd.,
Sangareddy District.

Copy to :

1. The Managing Chairman & Director, Telangana State Southern Power Distribution
Company, Near Secretariat, Hyderabad for information and necessary action.
2. The JCEE., Z.O., R.C.Puram for information and necessary action.
3. The E.E., TSPCB, Regional Office, Sangareddy with a direction to follow up for
implementation of the orders.
4. Concerned file.

// T.C.F.B.O. //

Senior Environmental Engineer (FAC)
(UH-V)

Received
W/S
KSN Murthy
7625861596

26/6

h. At. 26/6/20

